# CUSTOM RATES SURVEY



#### Hay & Silage

Making Operations 1999



AGRICULTURE, FOOD AND RURAL DEVELOPMENT Statistics and Data Development Unit



The Custom Rates Survey is conducted for Alberta Agriculture, Food and Rural Development by the Department Statistics and Data Development Unit.

actual charges. Please note that some instances may be Good Neighbour Rates as opposed to Commercial Rates. The reader should be aware that varying conditions in different areas of the province can significantly affect the rates The data presented in this report was obtained by contacting custom operators and dealers and thus represent charged from year to year.

decisions. The quality of data is dependent on the cooperation received by producers as well as commercial custom operators. We would like to thank all those who were so willing in helping to provide information. If you are involved he intent of the survey is to provide producers with additional information to help with their farm management in any custom operations and have not been contacted, but wish to contribute please contact me.

Maureen Wenger, Research Assistant

Statistics and Data Development Unit

Alberta Agriculture, Food and Rural Development

302, 7000 -113 Street

Edmonton, Alberta T6H 5

Phone: (780) 422-2903 Fax: (780) 427-5220

Fax: (780) 427-5220 email: maureen.wenger@agric.gov.ab.ca



Produced by Alberta Treasury, Statistics.

# COMPLETE AND SEMI-COMPLETE SILAGE MAKING OPERATIONS 1999

| MD14  2  26  26  26  26  26  26  26  MD44  MD44 | \$8.25/Tonne<br>\$18.50/dry Tonne<br>\$6.50/ton<br>\$5/Tonne<br>\$6/Tonne<br>\$6/Tonne<br>\$6/Tonne<br>\$5/Tonne<br>\$5/Tonne<br>\$5/Tonne<br>\$5/Tonne<br>\$5/Tonne<br>\$5/Tonne | SCH SCH CH C | SP NH 15' swather, tractor, JD 3970 harvester, dump wagon, tandem truck SP NH 15' swather, tractor, JD 3970 harvester, dump wagon, tandem truck SP Hesston 25' swather, SP Claas 840 harvester, side dump, tandem truck SP Case-IH swather with 25' header, SP JD 58 series harvester, tandem truck SP JD 6850 harvester, 3 tandem trucks Tractor, JD 3970 harvester, dump wagon holds 6 Tonne, single axle truck Tractor, JD 3970 harvester, dump wagon holds 6 Tonne, single axle truck ANH bi-directional tractor with Macdon 12' header, tractor, Case-IH 8750 harvester, dump wagon, tandem truck Case-IH 8750 harvester, dump wagon, tandem truck, Case-IH 8750 harvester, dump wagon, tandem truck Case-IH 8750 harvester, dump wagon, tandem truck, Case-IH 8750 harvester, spader, SP NH 2115 harvester | \$0.30/ton/mi Hauling up to 2 mi. extra trucks plus \$0.30/ton/mi Hauling up to 2 miles Hauling up to 1 mile Hauling up to 2 miles  Tandem trucks at \$50/hr; hauling up to 2 miles  Hauling up to 2 miles |
|---|---|---|--|--|
| WD99  | \$5.25/ton<br>\$5.25/tan  | 8 B   | Case 7120 tractor, NH 900 harvester, dump wagon, tandem truck<br>JD 8400 FWA 240hp tractor, NH 900 harvester, single axle<br>truck   | Hauling up to 1 mile: plus \$0.10/lmi over 1 mile (max 2-3 mi) Hauling up to 1 mile  |

There is very little silage put up by custom operators in Agricultural Region 5.

# COMPLETE AND SEMI-COMPLETE SILAGE MAKING OPERATIONS 1999



| 2 | 3 3 24 3 24 4 Lac See Anne         | \$180/hr<br>\$230/hr<br>\$5.50/ten<br>\$6.50/ten<br>\$21/load (+)<br>\$35/load<br>\$5/ten<br>\$31/load<br>\$31/load<br>\$325/hr<br>\$325/hr | 8 8 8 8 8 8 8 8 8 8 | Tractor, NH 900 harvester, transfer box, 2 tandem trucks Tractor, NH 900 harvester, transfer box, 2 tandem trucks Tractor, NH 900 harvester, transfer box, 2 tandem trucks Tractor, Hesston 7170 harvester, transfer box, 2 tandem trucks SP Vers 4700 swather, tractor, Hesston 7170 harvester, transfer box, 2 tandem trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston 7170 harvester, Jiffy 700 dump wagon, 2 SA trucks Tractor, Hesston harvester, Jiffy 700 dump wagon, 5 SA trucks SP JD 6810 harvester, 2 tandem trucks SP JD 6810 harvester, 2-3 tandem trucks | 5-6 ton/load<br>5-6 ton/load | Hauling up to 5-6 miles Hauling up to 5 miles Hauling up to 3 miles Hauling up to 3 miles Plus \$38/hr for single axle or tandem truck to 3 mi Hauling up to 1-2 miles Hauling up to 0.5 mile Hauling up to 1-2 miles Hauling up to 3-4 miles Hauling up to 5-4 miles Hauling up to 5-4 miles Hauling up to 5-4 miles |
|---|------------------------------------|---|---------------------|--|------------------------------|---|
| 4 .                                     | 4 Lac Ste Anne                     | \$325/hr  | 5 5                 | SP JD 6810 harvester, 2-3 tandem trucks SP JD 6810 harvester, 2-3 tandem trucks  | 55-75 ton/hr<br>35-55 ton/hr | If double swathed; hauling up to 6 miles<br>Hauling up to 6 miles   |
| 4 4 4                                   | 4 Lac Ste Anne<br>4 MD90<br>4 MD90 | \$190/hr<br>\$5.75/tan  | 8 8 8               | 200hp FWA tractor, NH 900 harvester, dump wagon, tandem truck<br>200hp FWA tractor, NH 900 harvester, dump wagon, tandem truck   |                              | Hauling up to 1 mile<br>Hauling up to 1 mile  |

S - Swathing C-chopping H-hauling P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Vers SP-self-propelled PT-pull-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axle There is very little silage put up by custom operators in Agricultural Region 5.

4

# COMPLETE AND SEMI-COMPLETE SILAGE MAKING OPERATIONS 1999



| Hauling up to 3 miles  |                | SP JD 6710 harvester, dump wagon, 2 tandem trucks                        | 3   | \$340/hr     | 11       | * |
|--|----------------|--|-----|--------------|----------|---|
| Hauling up to I mile   |                | SP JD 6710 harvester, dump wagon, tandem truck                           | 3   | \$295/hr     | =        | 4 |
| Hawling up to 3-4 miles  |                | Tractor, JD 3970 harvester, dump wagan, single axle and tandem trucks    | 7   | \$190/hr     | =        | 4 |
| dauling up to 5 miles  |                | Tractor, NH 1600 or Field Queen 7600 harvester, dump wagan, tandem truck | 7.5 | \$180/hr     | 11       | 4 |
| Hauling up to 1.5 miles  |                | FWA 195hp tractor, NH 900 harvester, dump wagan, tandem truck            | 5   | \$150/hr     | п        | 4 |
| Hauling up to 1.5 mile; extra tandem truck<br>at \$45/hr over 1.5 mi |                | Tractor, JD 3970 harvester, dump wagon, single axle truck                | 7   | \$145/hr     | 11       | + |
| Hauling up to 0.25 mile  | 40-45 ton/hr   | SP NH 14' haybine, fractor, NH 995 harvester, dump wagon, tandem truck   | SCH | \$6.50/Tonne | Parkland | 4 |
| Hauling up to 3.5 miles  | 40-45 tan/hr   | SP NH 14' haybine, tractor, NH 995 harvester, dump wagon, 2<br>SA trucks | SCH | \$6.50/Tonne | Parkland | 4 |
| Hauling up to 7 miles  |                | SP NH 1915 harvester, dump wagan, tandem truck                           | 7   | \$285/hr     | Parkland | * |
| 100-140 ton/hr Grain: hauling up to 3 miles                          | 100-140 ton/hr | SP NH FX45 harvester, dump wagon, 2 tandem trucks                        | 5   | \$470/hr     | MD94     | 4 |
| 100-140 ton/hr Grain; hauling up to 1 mile                           | 100-140 ton/hr | SP NH FX45 harvester, dump wagon, tandem truck                           | 7   | \$420/hr     | WD94     | 4 |
| Grass; hauling up to 3 miles   | 60-100 ton/hr  | SP NH FX45 harvester, dump wagon, 2 tandem trucks                        | B   | \$420/hr     | MD94     | 4 |
| Grass; hauling up to 1 mile  | 60-100 ton/hr  | SP NH FX45 harvester, dump wagon, tandem truck                           | 7   | \$370/hr     | WD94     | 4 |
| Hauling up to 2-3 miles  |                | Tractor, Gehl 1260 harvester, 2 tandem trucks                            | 8   | \$6/Tonne    | MD92     | + |
| Houling up to 1 mile   |                | Tractor, Gehl 1260 harvester, tandem truck                               | £   | \$5/Tonne    | MD92     | 4 |
| Hauling up to 7 miles  | 60 ton/hr      | MF 4wd 325hp tractor, NH 900 harvester, 3 tandem trucks                  | 7   | \$375/hr     | MD92     | 4 |
| Hauling up to 1.5-2 miles  | 75-100 ton/hr  | SP NH 2115 harvester, 2 tandem trucks                                    | 8   | \$350/hr     | WD92     | 4 |
| Hauling up to 4-5 miles  | 60 ton/hr      | MF 4wd 325hp tractor, NH 900 harvester, 2 tandem trucks                  | 7   | \$325/hr     | MD92     | 4 |
| Hauling up to 1 mile   |                | SP NH 1915 harvester, 2 tandem trucks                                    | £   | \$250/hr     | MD92     | 4 |
| Hauling up to 2.5 miles  |                | Tractor, NH 900 harvester, dump wagon, 2 tandem trucks                   | 8   | \$225/hr     | MD92     | 4 |
| nauling up to 1.0 miles  |                | Tractor, NH 900 harvester, dump wagon, tandem truck                      | 7   | \$180/hr     | MD92     | 4 |

SP-self-propelled PT-pull-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axie 5 - Swathing C-chopping H-hauling P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH There is very little silage put up by custom operators in Agricultural Region 5.

#### BAGGED SILAGE MAKING OPERATIONS 1999



|   |         | N.   |        | The state of the s |  |
|---|---------|------|--------|--|--|
| 2 | Lacombe | 3600 | CH,BAG |  | Cost of bag included; hauling up to 1 mile; customer supplies tractor on bagger  |
| 2 | Lacombe | 4400 | CH,BAG | tandem truck, Gem 10°  | Cost of bag included; hauling up to 1 mile; customer supplies tractor on bagger  |
| 8 | ٠       | 1300 | BAG    | Gem 9' bagger; 9'X150' bag holds 140-145 ton/bag; customer supplies tractor on bagger  | cluded   |
| 2 | 9       | 0991 | 846    | Gem 9' bagger, 9'X200' bag holds 185-200 ton/bag; customer<br>supplies tractor on bagger   | cluded   |
| 2 | 17      | 1600 | 846    | AG Bag 8100 10' bagger with tractor, 10'X200' bag holds<br>230-250 ton/bag   | rcluded  |
| 2 | 71      | 3300 | CH,BAG | SP NH 2100 harvester, Jiffy 1200 transfer box, 2 tandem<br>trucks, Ag Bag 8100 10' bagger with tractor, 10'X200' bag holds<br>230-250 ton/bag  | Cost of bag included; hauling up to 1 mile                                       |
| 2 | 11      | 1500 | BAG    | Gem 10' bagger; 10'X150' bag holds 200 ton/bag; customer<br>supplies tractor on bagger   | cluded   |
| 2 | 17      | 1900 | 846    | GEM 10' bagger; 10'X200' bag holds 250 ton/bag; customer<br>supplies tractor on bagger   | cluded   |
| 2 | 17      | 2900 | CH,BAG | Tractor, Hesston 7170 harvester, transfer box, 2 tandem<br>trucks, 6em 10' bagger; 10'X150' bag holds 200 ton/bag  | Cost of bag included; hauling up to 3 miles; customer supplies tractor on bagger |
| 2 | 17      | 3600 | CH,BAG | -  | Cost of bag included; hauling up to 3 miles; customer supplies tractor on bagger |
| - | MD77    | 3250 | CH,BAG | SP NH 1900 harvester, tandem truck, Gem 10' motorized bagger; 10'X200' bag holds 250 ton/bag   | 2 miles  |
|   | WD90    | 1500 | BAG    | Ag Bag 10' motorized bagger; 10'X150' bag holds 185 ton/bag  | cluded   |
|   | WD90    | 1925 | BAG    | Ag Bag 10' motorized bagger; 10'X200' bag holds 250 ton/bag  | cluded   |
|   | WD90    | 2400 | BAG    | Ag Bag 10' motorized bagger; 10'X250' bag holds 315 ton/bag  | cluded   |

S - Swathing C-Chopping H-hauling JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Versatile AC - Allis Chalmers SP-self-propelled PT-pull-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axle There is very little silage put up by custom operators in Agricultural Region 5.

#### BAGGED SILAGE MAKING OPERATIONS 1999



| Vers - Versatile AC - Allis Chalmers        | 5 - Swathing C-chopping H-hauling JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Versatile AC - Allis Chalmers                                     | uling JD - | C-chopping H-ho | S - Swathing |   |
|---|---|------------|-----------------|--------------|---|
| Cast of bag included: hauling up to 2 miles | SP Claas 840 harvester, 2 tandem trucks; 10' motorized bagger;<br>10'X250' bag holds 380-400 ton/bag  | CH,BA6     | 4800            | 01           | * |
| Cost of bag included; having up to 2 miles  | SP Claas 840 harvester, 2 tandem trucks; 10' motorized bagger;<br>10'X200' bag holds 300 ton/bag  | CH,BAG     | 3600            | 10           | 4 |
| Cost of bag included; having up to 2 miles  | SP Claas 840 harvester, 2 tandem trucks; 10' motorized bagger; 10'X150' bag holds 200-220 ton/bag   | CH, BAG    | 2800            | 10           | * |
| Cost of bag included; hauling up to 2 miles | 10' motorized bagger; 10'X150' bag holds 200-220 ton/bag  | 846        | 2400            | 10           | 4 |
| Cost of bag included; hauling up to 2 miles | 10' motorized bagger; 10'X150' bag holds 200-220 ton/bag  | BAG        | 1800            | 10           | 4 |
| Cost of bag included; hauling up to 2 miles | 10' motorized bagger; 10'X150' bag holds 200-220 ton/bag  | 846        | 1400            | 10           | 4 |
| Cost of bag and inoculant included          | SP NH 1900 harvester, tandem trucks to 1.5 mi, Ag Bag 11' motorized bagger, 11'X250' bag holds 360 ton/bag  | CH,BAG     | 2500            | 10           | 4 |
| Cost of bag included; hauling up to 1 mile  | Case 8940 and Case 9330 tractors, 2 Case-IH 8750 harvesters, dump wagon (1100 cu ft), 3 tandem trucks with 20' box , Ag Bag 10' motorized bagger 10'X250' bag holds 345 tan/bag | CH,BAG     | 4800            | 10           | 4 |
| Cast of bag included; hauling up to 1 mile  | Case 8940 and Case 9330 tractors, 2 Case-IH 8750 harvesters, dump wagon (1100 cu ft), 3 tandem trucks with 20' box , Ag Bag 10' motorized bagger 10'X200' bag holds 270 tan/bag | CH,BAG     | 3900            | 10           | 4 |
| Cost of bag included; hauling up to 1 mile  | Case 8940 and Case 9330 tractors, 2 Case-IH 8750 harvesters, dump wagon (1100 cu ft), 3 tandem trucks with 20' box, Ag Bag 10' motorized bagger 10'X150' bag holds 180 ton/bag  | CH, BAG    | 3000            | 10           | 4 |
| Cost of bag included                        | Ag Bag 10' motorized bagger; 10'X200' bag holds 250 ton/bag   | BAG        | 1800            | MD92         | 4 |
| Cost of bag included; hauling up to 1 mile  | Tractor, NH 900 harvester, dump wagon, tandem truck, Ag Bag<br>10' matorized bagger; 10'X250' bag holds 315 ton/bag   | CH,BAG     | 4250            | WD90         | 4 |
| Cost of bag included; hauling up to 1 mile  | Tractor, NH 900 harvester, dump wagon, tandem truck, Ag Bag<br>10' motorized bagger; 10'X200' bag holds 250 ton/bag   | CH,BAG     | 3400            | WD90         | * |
| Cost of bag included; hauling up to 1 mile  | Tractor, NH 900 harvester, dump wagon, tandem truck, Ag Bag<br>10° motorized bagger, 10°X150° bag holds 185 ton/bag   | CH, BAG    | 2600            | WD90         | 4 |

SP-self-propelled PT-pull-type hr - hour mi - mile ac - acre bu - bushel id - load T - tonne FWA - Front Wheel Assist SA- single axle There is very little silage put up by custom operators in Agricultural Region 5.



|  |  | 0-10 miles   | 26-30 miles  | 11-25 miles  |   | Hauling up to 5 miles             |                                   |   | Hauling up to 2-3 miles           | Hauling up to 2-3 miles                | Hauling up to 1 mile              |  |  |  |   |                      | Hauling up to 2 miles             |                               | nd IH - International Vers - Versatile   |
|--|--|--|--|--|---|-----------------------------------|-----------------------------------|---|-----------------------------------|--|-----------------------------------|--|--|--|---|----------------------|-----------------------------------|-------------------------------|--|
| About the Carte As an about the case of th | Packing with JD 9400 4wd 425hp tractor with 16 dazer blade | Triaxle semi-trailer holds 10 dry Tonne (30 Tonne at 60% moisture) | Triaxle semi-trailer holds 10 dry Tonne (30 Tonne at 60% moisture) | Triaxle semi-trailer holds 10 dry Tonne (30 Tonne at 60% moisture) | SP Versatile 4750 swather with 23' header | Hauling silage with tandem trucks | SP Macdon swather with 21' header | Tractor, Case-IH 8750 harvester, dump wagon | Hauling silage with tandem trucks | Hauling silage with single axte trucks | Hauling silage with tandem trucks | Packing with Case-IH 9250 4wd 260hp tractor with dozer blade | Tractor, Versatile swather with 21' grain header | NH bi-directional tractor with Macdan 12" header | SP Premier 2930 swather with 21' header | SP NH 2115 horvester | Hauling silage with tandem frucks | SP MF swather with 30' header | P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Ver |
|  | à.   | I  | I  | ı  | S   | I                                 | vs                                | U   | I                                 | I                                      | I                                 | G.   | vs   | S  | v                                       | v                    | I                                 | V)                            |  |
|  | \$1.10/Tonne   | \$13/dry Tonne   | \$15/dry Tonne   | \$14/dry Tonne   | \$11/00                                   | \$45/hr                           | \$1/1on                           | \$4/Tonne                                   | \$45/hr                           | \$35/hr                                | \$1/Tonne                         | \$1/Tonne  | \$1/ton  | \$1/Tonne  | \$10/00                                 | \$4/1an              | \$50/hr                           | \$1/ton                       | - Swathing C-chopping M-hauling  |
| •  | ~  | *  | 4  | *  | 4   | 60                                | 60                                | 56  | 56                                | 26                                     | 56                                | 56   | 52   | 92   | Lacombe                                 | MD44                 | MD44                              | MD44                          | S - Swathing   |
| •  | =  | -  | cal .  | ==   | **  | -                                 | gand                              | ent   | wi                                | •                                      | -                                 | ***  | ***  | **   | 2                                       | 2                    | 2                                 | 8                             |  |

| 70 |
|----|
|    |
|    |

| +387.5          | Hauling up to 3.5 miles           |  |  | Hauling up to 2-3 miles               |   |                        |   |                                       | Hauling up to 5 miles             | Hauling up to 3 miles             | Hauling up to 5 miles                            |   |   |  |   |                           |                           |   | Hauling up to 3 miles                           | IH - International Vers - Versatile   |
|-----------------|-----------------------------------|--|--|---------------------------------------|---|------------------------|---|---------------------------------------|-----------------------------------|-----------------------------------|--|---|---|--|---|---------------------------|---------------------------|---|---|---|
| Sell Straighter | Hauling silage with tandem trucks | Packing with Case-IH 2096 FWA 120hp tractor with dozer blade | SP Westward 9600 swather with 18' header | Hauling silage with single axle truck | Tractor, Case-IH 8750 harvester, dump wagon | SP Claas 840 harvester | Tractor, Case-IH 8750 harvester, dump wagon | Tractor, NH 900 harvester, dump wagon | Hauling silage with tandem trucks | Hauling silage with tandem trucks | Hauling silage with single axle or tandem trucks | Packing with Case 9270 4wd 350hp tractor with dozer blade | Packing with Versatile 276 4wd 100hp tractor with dozer blade | SP Case-IH 8830 diesel swather with 18' header | SP Hesston 8100 swather with 25' header | SP Versatile 4700 swather | SP Versatile 4700 swather | Tractor, JD 3970 harvester, dump wagon holds 5-6 ton/load | Hauling silage with single axle or tandem truck | P. D. John Deere MF. Massey Ferausan NH-New Holland IH - International Vers - Versatile |
| San San         | I                                 | ٩  | S  | I                                     | O   | v                      | v   | v                                     | I                                 | I                                 | I  | ۵   | ۵   | S  | S                                       | S                         | S                         | o   | I   | d orilin  |
| (60)            | \$50/hr                           | \$50/hr  | \$8/00                                   | \$40/hr                               | \$24/load                                   | \$4.50/ton             | \$4/ton                                     | \$125/hr                              | \$50/hr                           | \$45/hr                           | \$40/hr  | \$80/hr   | \$30/hr   | \$11/00  | \$8.50/ac                               | \$1/ton                   | \$8/00                    | \$21/load   | \$38/hr   |   |
| 186 187         | m                                 | 8  | m  | •0                                    | 17  | 17                     | 17  | 17                                    | 17                                | 17                                | 17   | 17  | 17  | 17   | 17                                      | 17                        | 17                        | 23  | 23  | 9   |
| 157 FE          | 2                                 | 2  | 2  | 2                                     | 2   | 61                     | 63  | 23                                    | 2                                 | 2                                 | 2  | 2   | 2   | 61   | 23                                      | 2                         | 2                         | 2   | 2   |   |

超



|                        |                      | Packing with Vers 835 4wd 230hp tractor with dozer blade  | ů. | \$60/hr         | 4 Lac Ste Anne |
|------------------------|----------------------|---|----|-----------------|----------------|
|                        |                      | SP MF 220 swather with 30' header                         | S  | \$5.50/90       | 62             |
| Hauling up to 6 miles  |                      | Hauling silage with tandem truck holds 12-14 ton          | I  | \$45/hr         | 53             |
| Running time only      |                      | SP JD 6810 harvester                                      | v  | \$200/hr        | 53             |
|                        | 15 id/hr.<br>610n/ld | Packing with Vers 875 4wd 200hp+ tractor with dozer blade | ٩  | \$4/lood        | 24             |
|                        | 6ton/ld              | Packing with Vers 875 4wd 200hp→ fractor with dozer blade | ۵  | \$0.75/ton      | 24             |
|                        | 15 ld/hr.<br>610n/ld | Packing with Vers 875 4wd 200hp+ tractor with dozer blade | ۵  | \$60/hr         | 24             |
|                        |                      | 200hp FWA tractor, Hesston harvester, dump wagon          | v  | \$24/lood       | 24             |
| Hauling up to 20 miles |                      | Hauling silage with tandem trucks                         | I  | \$45/hr         | 22             |
|                        |                      | SP Hesston swather with 25' header                        | S  | \$1.50/ton      | 21             |
| 0-500 ton              |                      | Packing with Cat Challenger with dozer blade              | ۵  | \$1.50/ton      | 21             |
| 500-1000 ton           |                      | Pocking with Cat Challenger with dozer blade              | a  | \$1.25/ton      | 12             |
| Over 1000 ton          |                      | Packing with Cat Challenger with dozer blade              | ٩  | \$1.10/ton      | 21             |
|                        |                      | Hauling silage with tandem trucks                         | I  | \$50/hr         | 21             |
|                        | 85 ton/hr            | SP JD 0950 harvester                                      | v  | \$4.25/ton      | 21             |
|                        | 60 ton/hr            | SP JD 6710 harvester                                      | o  | \$5/10m         | 12             |
|                        |                      | Tractor, Hesston discbine with 12' header                 | vs | \$10/90         | 23             |
|                        | 5-6 ton/load         | Packing with JD 4450 FWA 150hp tractor with dazer blade   | ٩  | \$1.75-2.00/ton | 23             |
|                        | 5-6 ton/load         | Packing with JD 4450 FWA 150hp tractor with dozer blade   | ۵  | \$10/load       | 23             |
|                        | 5-6 ton/load         | Packing with JD 4450 FWA 150hp tractor with dozer blade.  | ٩  | \$60/hr         | 23             |

S - Swathing C-chopping H-hauling P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Versatile SP-self-propelled PT-pull-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axle There is very little silage put up by custom operators in Agricultural Region 5.



|   | SP NH 1915 harvester, dump wagon                              | v  | \$240/hr | Parkland       | 4 |
|---|---|----|----------|----------------|---|
|   | SP Macdon swather with 21' header                             | S  | \$10/00  | MD94           | 4 |
| dozer blade                               | Packing with 4wd 400hp tractor with 14' dozer blade           | ۵. | \$80/hr  | MD94           | 4 |
| Hauling up to 3 miles                     | Hauling silage with tandem trucks                             | I  | \$50/hr  | MD94           | 4 |
|   | Dump wagon for use with silage chapping operation             | I  | \$70/hr  | MD94           | 4 |
| 60-100 tan/hr Grass                       | SP NH FX45 harvester  | U  | \$250/hr | MD94           | 4 |
| 100-140 ton/hr Grain                      | SP NH FX45 harvester  | v  | \$300/hr | MD94           | 4 |
| 100-140 ton/hr Grain                      | SP NH FX45 harvester  | v  | \$27/ac  | MD94           | 4 |
| der                                       | SP Case-IH 5000 swather with 16.5' header                     | S  | \$55/hr  | MD92           | 4 |
| swath header                              | SP Hesston 6450 swather with 18' double swath header          | v  | \$55/hr  | MD92           | 4 |
| 10' dozer blade                           | Packing with JD 120hp FWA tractor with 10' dozer blade        | 0. | \$50/hr  | MD92           | 4 |
| ir with 14" dozer blade                   | Packing with Case 4490 4wd 180hp tractor with 14' dozer blade | ۵  | \$45/hr  | MD92           | 4 |
| dozer blade                               | Packing with JD 120hp FWA tractor with dozer blade            | ۵  | \$40/hr  | MD92           | 4 |
| Hauling up to 3 miles                     | Hauling silage with tandem trucks                             | I  | \$45/hr  | MD92           | 4 |
| t box holds 12 ton Hawling up to 50 miles | Hauling silage with tandem trucks with 24° box holds 12 ton   | I  | \$50/hr  | MD92           | 4 |
| Hauling up to 4-5 miles                   | Hauling silage with tandem trucks                             | I  | \$50/hr  | MD92           | 4 |
| ir 60 ton/hr                              | MF 4wd 325hp tractor, NH 900 harvester                        | v  | \$225/hr | MD92           | 4 |
| Swathing grain for silage                 | SP swather with 25' header                                    | S  | \$8/90   | 06QW           | 4 |
|   | SP Westward swather with 21' header                           | )  | \$75/hr  | 4 Lac Ste Anne | * |

S - Swathing C-chapping H-hauling P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Versatile SP-self-propelled PT-puil-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axle There is very little silage put up by custom operators in Agricultural Region 5.



|  |                                   |  |   |                        | Houling up to 3 miles             |  |   |  |   |                                   |                                  |  | Hauling up to 5 miles             | Hauling up to 3 miles             | Hauling up to 5 miles             |  |   |   |                         | Swathing grain for siloge               | I IH - International Vers - Versatile<br>ant Wheel Assist SA- single axle  |
|--|-----------------------------------|--|---|------------------------|-----------------------------------|--|---|--|---|-----------------------------------|----------------------------------|--|-----------------------------------|-----------------------------------|-----------------------------------|--|---|---|-------------------------|---|--|
| Packing with Michegan 4wa 110mp todater with 1.75 cu yard bucket | SP Macdon swather with 21' header | SP Hesston 1430 hydra swing discbine with 12' header | SP Case-IH 5000 swather with 16.5' header | SP Class 840 harvester | Hauling silage with tandem trucks | Hauling silage with tandem truck with tandem trailer holds 22-23 | Having slage with tandem truck with tridom trailer holds 25-26 ton/load | Hauling silage with tandem trucks holding 13-14 ton/load | SP Case-IH 8830 swather with 21' header | SP MF 220 swather with 18' header | SP JD 6710 harvester, dump wagon | Tractor, NH 1600 or Field Queen 7600 harvester, dump wagon | Hauling silage with tandem trucks | Hauling silage with tandem trucks | Hauling silage with tandem trucks | Packing with JD 4wd tractor with 14' dozer blade | Packing with 4wd 200hp tractor with dozer blade | SP Case-IH 4000 swather with 14" grain header | SP Premier 2930 swather | SP Case-IH 8840 swather with 21" header | -hauling P-packing (ensiling) JD - John Deere MF-Massey Ferguson NH-New Holland IH - International Vers - Ver<br>ull-type hr - hour mi - mile ac - acre bu - bushel Id - load T - tonne FWA - Front Wheel Assist SA- single axle |
| a.   | S                                 | S  | S   | v                      | I                                 | I  | I   | I  | S                                       | vŋ                                | U                                | v  | I                                 | ı                                 | ı                                 | 6.   | a.  | S   | S                       | S                                       | hauling P-p  |
| \$75/hr  | 10/00                             | \$60/hr  | \$7.50/90                                 | \$4.50/1on             | \$50/hr                           | \$65/hr  | \$70/hr   | \$50/hr  | \$10/00                                 | \$9/00                            | \$250/hr                         | \$135/hr   | \$50/hr                           | \$45/hr                           | \$45/hr                           | \$65/hr  | \$45-50/hr                                      | \$45/hr                                       | \$8/90                  | \$9/90                                  | ing C-chopping H-ha  |
| Parkiend   | Parkland                          | Parkland   | Parkland                                  | 10                     | 0                                 | 01   | 10  | 01   | 10                                      | 9                                 | 11                               | ==   | =                                 | =                                 | =                                 | 11   | =   | =   | 11                      | 52                                      | S - Swathing   |
|  | 4                                 | 4  | 4   | *                      | 4                                 | 4  | +   | 4  | 4                                       | 4                                 | 4                                | 4  | 4                                 | 4                                 | 4                                 | *  | *   | *   | *                       | 4                                       |  |

# COMPLETE AND SEMI-COMPLETE HAYMAKING OPERATIONS 1999



| t-hauling                                    | M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling                                     | wing MC-n   | M-mc      |         |   |
|--|---|-------------|-----------|---------|---|
| On field stacking                            | Tractor, NH 575 baler; 14X18 bales; SP NH Super 1049 bale<br>wagon 160 14X18 bales  | BSH         | 0.85      | MD44    | 2 |
| Hauling up to 1 mile                         | Tractor, JD 348 baler; 14X18 bales; SP NH 1069 bale wagon<br>holds 160 14X18 bales  | взн         | 0.72      | Lacombe | 2 |
| On field stacking; plus \$0.03/bale/mi       | Tractor, Hesston 4655 baler; 16X18 bales; SP NH 1089 bale wagon holds 160 16X18 bales                                       | ВЅН         | 0.75      | 26      | - |
| On field stacking                            | Tractor, Vermeer 605K or 605L baler; large round bales, self load/unload tandem truck with tandem tractor holds 17 LR bales | <b>B</b> SH | 9.50      | 16      | 1 |
| Hauling up to 1 mile; plus 0.02/bale/mi over | Tractor, JD 468 or Hesston 4655 baler; 16X18 bales, SP NH<br>1069 bale wagon holds 133 16X18 bales                          | BSH         | 0.75-0.80 | 60      | 1 |
| On field stacking                            | Tractor, JD 535 baler; large round bales, 5P Morris hay hinker<br>holds 12 LR bales   | <b>BSH</b>  | 10.00     | 4       | - |
| Hay, straw or flax bales; on field stacking  | Tractar, Hesstan 4650 baler; 16X18 bales, SP NH 1069 diesel bale wagon holds 129 16X18 bales                                | ВЅН         | 0.72-0.73 | 4       | - |
| Hay bales; on field stacking                 | Tractor, JD 535 baler: large round bales, 5P In-line bale picker<br>holds 17 LR bales                                       | взн         | 9.00      | 8       | - |
| Straw bales; on field stacking               | Tractor, JD 535 baler: large round bales, SP In-line bale picker holds 17 LR bales  | HS8         | 8.50      | 64      | - |
| On field stacking                            | Tractor, JD 535 baler: large round bales, SP self load/unload hay<br>hiker holds 8 LR bales                                 | ВЗН         | 8.50      | MD31    | - |
| On field stacking; plus \$0.03/bale/mile     | Tractor, Hesston 4655 baler; 16X18 bales; SP NH 1089 bale<br>wagon holds 16O 16X18 bales                                    | BSH         | 1.00      | MD31    | 1 |
| On field stacking                            | Tractor, 16' NIH 116 haybine, tractor, NIH 575 baler; 14X18 bales; SP NIH 1069 bale wagon holds 160 14X18 bales             | MBSH        | 1.50      | MD31    | - |
| On field stacking                            | Tractor, JD 348 baler; 14X18 bales, SP NH 1069 bale wagon<br>holds 160 14X18 bales  | ВЗН         | 0.85      | WD9     | - |
| Irrigated hayland; on field stacking         | Tractor, JD 535 or NH 664 baler: large round bales, Morris 881<br>hay hiker   | взн         | 8.75-9.25 | MD1     | 1 |
|  |   |             |           |         |   |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-

# COMPLETE AND SEMI-COMPLETE HAYMAKING OPERATIONS 1999



| 4-hauling                                     | Anthony on the standing of the houling H-houling   |               |           |          |   |
|---|--|---------------|-----------|----------|---|
| If unraked: on field stacking                 | Tractor, JD 335 baler; large round bales, 3r bale wagon tioles states are round bales  | BSH           | 8.65      | 12       | 4 |
| If raked first; on field stacking             | Tractor, JD 535 baier; large round bales, SP baie wagon holds 14 large round bales   | BSH           | 8.15      | 12       | 4 |
|   | SP NH 1495 speedrower/windrower with 14' header, IH 414 MC,RAKE, BALE tractor with NH tandem rakes, JD 4430 tractor with JD 535 baler; large raund bales | MC,RAKE, BALL | 12.00     | Parkland | 4 |
|   | Tractar, Case 12' discbine, tractor, Case Silage Special baler; LR bales (1800lb) @60% maisture, Kvernland individual bale wrapper                       | MC,B, WRAP    | 17.00     | MD94     | 4 |
| Mouling up to 1.5 miles                       | Tractor, JD 336 baler; 14X18 bales; SP NH 1069 bale wagon<br>holds 160 14X18 bales   | ВЗН           | 1.00      | MD92     | 4 |
| Hauling up to 1 mile                          | Tractor, Case-IH 8465 baler; large round bales (1800lb), front end loader, bale wagon holds 18 LR bales  | BSH           | 10.00     | MD77     | 4 |
| Hay or flax bales; stacking on field          | Tractor, Hesston 4910 baler; large square bales 4X4X8', Inland stacker holds 8 large square bales  | BSH           | 14.25     | 53       | 6 |
| On field stacking                             | Tractor, JD 348 baler; 14X18 bales; SP NH 1069 bale wagon<br>holds 160 14X18 bales   | BSH           | 0.80      | 23       | 2 |
| On field stacking                             | Tractor, JD 575 baler; 14X18 bales; SP NH 1069 bale wagon<br>holds 160 14X18 bales   | BSH           | 0.78-0.60 | 17       | 2 |
| Hauling up to 1 mile; plus \$0.03/bale/mi ove | Tractor, JD 348 baler; 14X18 bales, SP NH 1069 bale wagon<br>holds 160 14X18 bales   | BSH           | 0.75-0.80 | 17       | 2 |
| Straw bales; on field stacking; plus \$2/lmi  | Tractor, Vermeer 605H baler; LR bales (6.5' 22001b bales).<br>front end loader, Hi-bay holds 38-40 LR bales  | BSH           | 11.50     | 17       | 2 |
| Hay bales, on field stacking: plus \$2/lmi    | Tractor, Vermeer 605H baler; LR bales (6.5' 22001b bales).<br>front end loader, hi-bay holds 38-40 LR bales  | ВЗН           | 10.00     | 11       | 2 |
|   | Tractor, JD 346 baler; 14X18 bales   | BSH           | 0.75      | m        | N |
| On field stacking; plus \$0.04/bale/mi        | Tractor, Case-IH 8540 baler; 14X18 bales, SP NH 1069 bale<br>wagon holds 160 14X18 bales   | BSH           | 0.80-0.85 | MD48     | 2 |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers



| M-knuling                      | And In the same of the banking H-handing  | I    |                  |     |
|--------------------------------|---|------|------------------|-----|
| Common Ac-97                   | H 45' hi-bay trailer holds 30 large round bales                                       | 1    | \$7/bale         | MD9 |
| 26-FO miles                    | H 45' hi-boy trailer holds 30 large round bales                                       | I    | \$6/bale         | WD9 |
| 0-10 miles: minimum rate       | H 45' hi-boy trailer holds 30 large round bales                                       | I    | \$5/bale         | WD9 |
|                                | Tractor, NH 688 baler: slage bales & DU/e maisture, 32-34  B diameter, 1800# LR bales | en . | \$6.50-7.00/bale | WD9 |
|                                | B Tractor, JD 348 baler: 14X18 bales  | œ    | \$0.45/bale      | WD9 |
|                                | B Tractor, Case-IH 8540 baler; 14X18 bales  | es   | \$0.45/bale      | WD9 |
|                                | B Tractor, JD 535 baler; medium round bales (1100#)                                   | CD.  | \$7.50/bale      | WD6 |
|                                | B Tractor, JD 435 baler; medium round bales   | 00   | \$6/bale         | WD6 |
|                                | M.C. Tractor, NH 499 haybine with 12" header  | W    | \$15/90          | WD6 |
|                                | M Tractor, Hesston 14" windrower  | *    | \$11/00          | WD6 |
| On field stacking              | SH Tractor, Morris 881 hay-hiker  | ऊ    | \$1.75/bale      | MDI |
|                                | MC Tractor, JD 1470 dischine with 12' header  | MC   | \$11/00          | MDI |
| 71-80 miles                    | H Semi trailer hauling 14X18 or 16X18 bales   | I    | \$20/ton         | MDI |
| 51-60 miles                    |   | I    | \$18/ton         | MDI |
| 0-30 miles: minimum rate       | H Semi trailer hauling 14X18 or 16X18 bales   | I    | \$16/ton         | MDI |
| 90 miles                       | H Semi trailer holds 30 large round bales   | I    | \$12/1an         | MDI |
| 40 miles                       | H Semi trailer holds 30 large round bales   | I    | \$10/ton         | MDI |
| 40 miles                       | H Semi trailer holds 30 large round bales   | I    | \$8/bale         | MDI |
| 0-20 miles; \$150/load minimum | Semi trailer holds 30 large round bales   | I    | \$5/bale         | MDI |
| Irrigated hayland              | 8 Tractor, JD 535 or NH 664 baler; large round bales                                  | œ    | \$7.00-7.50/bale | MDI |

LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour lmi - loaded mile mi - mile bu - bushel
SP-self-propelled PT-puil type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers



|   |                                   | On field stacking                           |   |  | On field stacking; plus \$0.05/bale/mi   |  |  |   | On field stacking; plus \$0.05/bale/mi               |   |  |  |  |  |   | Hauling 0-75 miles                      | Hauling over 75 miles                   |
|---|-----------------------------------|---|---|--|--|--|--|---|--|---|--|--|--|--|---|---|---|
| Tractor, JD 1600A mower/conditioner hydra swing | Tractor, NH 16' mower/conditioner | SP NH 1069 bale wagon holds 160 14X18 bales | Tractor, Tube Line bale wrapper, silage bales © 50% moisture, 54" diameter LR bales | Tractor, Hesstan 4655 baler; 16X18 bales | Tractor, Hesston 4655 baler: 16X18 bales, SP NH 1089 bale wagon<br>holds 160 16X18 bales | Tractor, NH 660 baler: large round bales | Tractor, NH 664 baler: large round bales | Tractor, NH 499 haybine with 12' header | SP NH 1089 bale wagon halds 160 16X18 or 14X18 bales | Tractor with v-rake and tractor with JD 530 baler: large round<br>bales | Tractor, JD 535 baler; large round bales | Tractor, JD 535 baler; large round bales | Tractor, Case-IH 8460 baler; large round bales | Tractor, JD 566 baler, large round bales | Tractor, Hesston 4900 baler; large square bales; 4'x4'x8' | Semi trailer holds 34 large round bales | Semi trailer holds 34 large round bales |
| MC  | MC                                | HS  | Wrap  | 00                                       | œ  | œ  | 00                                       | MC                                      | HS.  | B, Raking   | 80                                       | 85                                       | œ  | œ  | 00  | I                                       | I                                       |
| \$13.50/ac                                      | \$15/90                           | \$0.40/bale                                 | \$6/bale  | \$0.45/bale                              | \$0.85/bale  | \$7/bale                                 | \$8.50/bale                              | \$16/00                                 | \$0.40/bale  | \$9/bale  | \$7/bale                                 | \$7/bale                                 | \$8/bale                                       | \$8/bale                                 | \$10.50-11.50/bale  | \$75/hr                                 | \$3.00/lmi                              |
| WD9   | WD9                               | WD9   |   |  |  |  |  | MD14                                    |  |   |  |  |  |  | MD31  |   | MD31                                    |
| -   | =                                 | -   | 4   | -  | -  | -  | -  | -                                       | -  | -   | -  | -  |  | -  |   | ei                                      | -                                       |

M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling

LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel

SF-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers



|                          |   | On field stacking                           | On field stacking                           | Hauling up to 1 mile                        | Hauling 2-3 miles                             | On field stacking | Straw bales                              | Hay bales                                | On field stacking                                   |   | On field stacking   | Hay, straw or tlax bales                 |  | Straw bales                                |  | Hay bales                                | Straw bales; on field stacking up to 0.5 mile   | May bales; on field stacking up to 0.5 mile.  |
|--------------------------|---|---|---|---|---|-------------------|--|--|---|---|---|--|--|--|--|--|---|---|
| Tractor, JD 930 discbine | Tractor, NH 116 haybine with 16' header | SP NH 1069 bale wagon holds 160 14X18 bales | SP NH 1069 bale wagon holds 160 14X18 bales | SP NH 1069 bale wagon holds 160 14X18 bales | 4 SP NH 1069 bale wagon holds 160 14X18 bales |                   | Tractor, JD 535 baler: large round bales | Tractor, JD 535 baler; large round bales | H SP In-line bale picker holds 17 large round bales | C SP Case-IH swather with 15' hay table | SP NH 1069 diesel bale wagon holds 129 16X18 bales or 160 14X18 bales | Tractor, Hesston 4650 baler; 16X18 bales | 3 Tractor, JD 535 baler; large round bales | 3 Tractor, JD 535 baler; large round bales | 3 Tractor, JD 530 baler: large round bales | Tractor, JD 535 baler; large round bales | Tractor, JD 535 baler; large round bales; tractor, Inland 1000  B bale retriever holds 7 LR bales | Tractor, JD 535 baler; large round bales; tractor, Inland 1000  B bale retriever holds 7 LR bales |
| MC                       | MC                                      | 75  | N.  | SH  | N.  | 15<br>15          | œ  | 0  | HS  | MC                                      | 60  | 00                                       | 00   | 80   | 00   | œ  | œ   | œ   |
| \$10/90                  | \$12/00                                 | \$0.40/bale                                 | \$0.45/bale                                 | \$0.45/bale                                 | \$0.50/bale                                   | \$1.50/bale       | \$6.50/bale                              | \$7.00/bale                              | \$2.00/bale   | \$10/00                                 | \$0.27-0.28/bale  | \$0.45/bale                              | \$7/bale                                   | \$7/bale                                   | \$7/bale                                   | \$8/bale                                 | \$9/bale  | \$10/bale   |
| MD31                     | MD31                                    | MD31  | MD31  | MD31  | IE UM   | MD31              | 2  | 2  | 2   | 4                                       | 4   | 4  | 4  | 4  | 4  | 4  | 4   | 4   |
| -                        | =                                       | -   | _   |   |   |                   | ***                                      | -  |   | **                                      | -   |  |  |  |  |  |   | -   |

LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers



|  | On field stacking up to 0.5 mile                              | On field stacking                              |  |  |  | Hauling up to 1 mile; plus 0.02/bale/mi over | Hauling up to 1 mile; plus 0.02/bale/mi over |   | Over 100 miles; plus 1 hour loading time @\$   | Over 300 miles; no loading tee                 |  |  | 7 On field stacking  | 7 Hauling 5 miles  | 7 Hauling 10 miles  | 7 Hauling 15 miles   | 7 Hauling 20 miles   |
|--|---|--|--|--|--|--|--|---|--|--|--|--|--|--|---|--|--|
| SP JD 3830 swather with 14' hay header | Tractor, Inland 1000 bale retriever holds 7 large round bales | SP Morris hay-hiker holds 12 large round bales | Tractor, JD 468 or Hesston 4655 baler; 16X18 bales | Tractor, NH 664 or JD 535 baler; large round bales | Tractor, NIH 595 baler; large square bales | SP NH 1069 bale wagon holds 133 16X18 bales  | SP NH 1069 bale wagon holds 160 14X18 bales  | SP diesel swather with 14" mower/conditioner header | Straight trailer holds 36-40 large round bales | Straight trailer holds 36-40 large round bales | Tractor, Vermeer 605K or 605L baler; large round bales | Tractor, Hesston 1340 discbine with 12' header | Self loading/unloading tandem truck with tandem trailer holds 17 | Self loading/unloading tandem truck with tandem trailer holds 17 | in ye raina bases<br>Self loading/unloading tandem truck with tandem trailer holds 17<br>bases passed holes | Self loading/unloading tandem truck with tandem trailer holds 17 large round bales | Self loading/unloading tandem truck with tandem trailer holds 17 large round bales |
| MC                                     | HS.   | T <sub>S</sub>                                 | 00   | œ  | 00   | HS.  | HS.  | MC  | ı  | I  | 80   | MC   | T'S  | SH   | HS  | HS.  | A.   |
| \$10-12/ac                             | \$2/bale  | \$3/bale                                       | \$0.4045/bale                                      | \$6-7/bale   | \$9-10/bale                                | \$0.35/bale                                  | \$0.35/bale                                  | \$10-11/00  | \$3.00/lmi                                     | \$3.00/lmi                                     | \$7.50/bale  | \$12/96  | \$2/bale   | \$3.50/bale  | \$5/bale  | \$5.75/bale  | \$6.50/bale  |
| 4                                      | *   | •  | 60   | 80   | 60   | 100  | 80   | 80  | 90   | 60   | 16   | 16   | 16   | 16   | 91  | 16   | 16   |
| -                                      | -   | •  | <b>64</b>  | 1  | 1  | -  | -  | -   | -  | -  | 1  | -  | -  | -  |   | -  |  |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour imi - loaded mile mi - mile bu - bushel

The second of th



| ** | 56      | \$0.35/bale | m   | Tractor, NH 575 baler; 14X18 bales                               |   |
|----|---------|-------------|-----|--|---|
| =  | 56      | \$0.45/bale | œ   | Tractor, Hesston 4655 baler; 16X18 bales                         |   |
| 44 | 56      | \$6/bale    | 60  | Tractor, Case-IH baler; large round bales                        |   |
| -  | 26      | \$10/90     | MC  | Tractor, JD 930 mower/conditioner with 13" header                |   |
| -  | 26      | \$0.30/bale | SH. | SP NH 1089 bale wagon holds 160 16X18 bales                      | On field stacking: plus \$0.03/bale/mi      |
| -  | 56      | \$0.30/bale | HS. | Tractor, NH 1037 bale wagon holds 105 14X18 bales                | Hauling up to 0.5 mile                      |
| 2  | Calgary | \$110/hr    | 80  | Tractor, JD 566 or JD 530 baler: large round bales               | 20-30 bales/hr                              |
| 2  | Calgary | \$105/hr    | MC  | Tractor, JD 925 discbine with 9.5' header                        |   |
| 2  | Calgary | \$2.00/bale | HS  | Tandem self loading/unloading trailer holds 17 large round bales | On field stacking; plus \$0.30/km off field |
| 2  | Lacombe | \$6/bale    | 8   | Tractor, JD 530 baler; large round bales                         |   |
| 2  | Lacombe | \$7/bale    | œ   | Tractor, JD 530 baler; large round bales                         |   |
| 2  | Lacombe | \$7/bale    | œ   | Tractor, JD 535 baler; large round bales                         |   |
| 2  | Lacombe | \$2.50/lmi  | I   | Self loading/unloading trailers hold 17-20 large round bales     | Over 55 miles                               |
| 2  | Lacombe | \$5/bale    | I   | Self loading/unloading trailers hold 17-20 large round bales     | 17-25 miles                                 |
| 2  | Lacombe | \$5.50bale  | ı   | Self loading/unloading trailers hold 17-20 large round bales     | 26-35 miles                                 |
| 2  | Lacombe | \$6/bale    | I   | Self loading/unloading trailers hold 17-20 large round bales     | 36-55 miles                                 |
| 2  | Lacombe | \$8.50/ac   | MC  | Tractor, New Idea haybine with 9' header                         |   |
| 2  | Lacombe | \$10/ac     | MC  | Tractor, JD 1470 discbine with 12' header                        |   |
|    |         |             |     |  | altitude 14 hours line                      |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling



| - E                                    |  |                |                  |         |   |
|--|--|----------------|------------------|---------|---|
|  | Tractor, Case-IH 8465 baler; large round bales                     | 60             | \$6/bale         | m       | 2 |
|  | Tractor, JD 346 baler; 14X18 bales                                 | œ              | \$0.40/bale      | m       | 2 |
|  | Tractor, Hesston 4910 baler; large square bales                    | 8              | \$11/bale        | SA2     | 2 |
|  | Tractor, NH 852 baler; large round bales                           | 60             | \$6-7/bale       | WD99    | 8 |
| On field stacking; plus \$0.04/bale/mi | SP NH 1069 bale wagon holds 160 14X18 bales                        | HS.            | \$0.35-0.40/bale | MD48    | 2 |
|  | Tractor, Case 8370 mower/conditioner with 14' header               | MC             | \$12/00          | MD48    | 2 |
| May or greenteed bales                 | Tractor, JD 566 baler: large round bales                           | 00             | \$7.50/bale      | MD48    | 2 |
| Straw bales                            | Tractor, JD 566 baler; large round bales                           | 60             | \$6.50/bale      | MD48    | 2 |
|  | Tractor, Case-IH 8540 baler; 14X18 bales                           | œ              | \$0.45/Bbale     | MD48    | ~ |
|  | Tractor, Hesston 1340 discbine with 12' header                     | MC             | \$50/hr          | MD44    | ~ |
|  | Tractor, Hesston 1340 discbine with 12' header                     | MC             | \$12.50/ac       | MD44    | 2 |
|  | Tractor, JD 930 discbine with 12' header                           | MC             | \$12/00          | MD44    | 2 |
|  | Tractor, JD 566 or JD 535 baler: large round bales                 | 00             | \$7/bale         | MD44    | 2 |
|  | Tractor, Hesston 560 baler; large round bales                      | 8              | \$6/bale         | MD44    | 2 |
| Hauling up to 10 miles                 | Front end loader: tractor, bale mover holds 14 large round bales   | HS             | \$60/hr          | Lacombe | 8 |
| On field stacking                      | Tractor, bale mover holds 10 large round bales                     | HS.            | \$60/hr          | Lacombe | 2 |
| On field stacking; plus \$0.25/bale/mi | Self loading/unloading trailers hold 17-20 large round bales       | <del>1</del> 8 | \$1.75/bale      | Lacombe | ~ |
| On field stacking; plus \$0.25/bale/mi | Self loading/unloading bale trucks hold 12 LR bales or 17 LR bales | SH             | \$1.50/bale      | Lacombe | 2 |
|  |  |                |                  |         |   |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel



| Kougn Terrain   | Tractor, JD 930 discbine with 14' header                             | MC | \$12/ac     | 8  | 2 |
|---|--|----|-------------|----|---|
| A Partie of the | SP Case-IH 4000 swather with 14' hay header                          | MC | \$10/ac     | e  | 2 |
|   | Tractar, JD 930 dischine with 9' header                              | MC | \$10/00     | m  | 2 |
|   | Tractor, Case-IH discbine with 12' header                            | MC | \$8/00      | m  | 2 |
|   | Tractor, Howse 5' rotary mower                                       | ×  | \$45/hr     | m  | ~ |
| 81-100 miles  | Self loading/unloading bale wagons hold 34 large round bales         | I  | \$392/load  | 8  | 2 |
| 00-90 Hies  | Self loading/unloading bale wagons hold 34 large round bales         | I  | \$356/load  | 8  | 2 |
| 51-65 miles   | Self loading/unloading bale wagons hold 34 large round bales         | I  | \$320/load  | 3  | 2 |
| 36-50 miles   | Self loading/unloading bale wagons hold 34 large round bales         | I  | \$284/load  | 60 | 2 |
| 15-35 miles   | Self loading/unloading bale wagons hold 34 large round bales         | I  | \$248/load  | က  | 2 |
| Plus \$0.30/bale/mi; 0-15 miles   | Self loading/unloading bale wagons hold 12-17 large round bales      | I  | \$2.00/bale | 3  | 2 |
| 81-100 miles,   | Self loading bale wagons hold 34 large round bales; customer unloads | I  | \$324/load  | m  | 2 |
| 66-80 miles   | Self loading bale wagons hold 34 large round bales; customer unloads | I  | \$288/load  | m  | 8 |
| 51-65 miles   | Self loading bale wagons hold 34 large round bales; customer unloads | I  | \$252/load  | 6  | 2 |
| 36-50 miles   | Self loading bale wagons hold 34 large round bales: custamer unloads | I  | \$216/load  | es | 2 |
| 15-35 miles   | Self loading bale wagons hold 34 large round bales; customer unloads | I  | \$180/load  | es | 2 |
|   | Tractor, JD 535 baler; large round bales                             | 60 | \$7/bale    | m  | 2 |
|   | Tractor, JD 535 baler; large round bales                             | œ  | \$6.50/bale | m  | 2 |
|   | Tractar, Hesston 565T baler; large round bales                       | 00 | \$6/bale    | m  | 2 |
|   |  |    |             |    |   |

LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/canditioning B-baling S - stacking SH-hauling and stacking H-hauling

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers

15,150 16

Constant of the Constant of th



|         | \$6.50/bale<br>\$7/bale<br>\$7/bale<br>\$8/bale<br>\$3.00/lmi<br>\$55/hr |               | Tractor, JD 535 baler; large round bales Tractor, NH 664 baler; large round bales Tractor, NH 660 baler; large round bales Tractor, JD 566 baler; large round bales Tractor, JD 566 baler; large round bales Tractor trailer holds 30 large round bales Tractor trailer holds 30 large round bales | With twine With net wrap 0-100 miles 0-100 miles |
|---------|--|---------------|--|--|
|         | \$6.50-7.00/bale<br>\$7.50/bale<br>\$8/bale<br>\$3.00/lmi<br>\$55/hr     | œ œ œ œ I I ⊗ | Tractor, NH 664 baler; large round bales Tractor, NH 660 baler; large round bales Tractor, JD 566 baler; large round bales Tractor, JD 566 baler; large round bales Tractor trailer holds 30 large round bales Tractor trailer holds 30 large round bales  | With twine With net wrap 0-100 miles 0-100 miles |
|         | \$7.50/bale<br>\$7.50/bale<br>\$8/bale<br>\$3.00/lmi<br>\$55/hr          | 2 2 2 2 I Z   | Tractor, NH 660 baler; large round bales Tractor, JD 566 baler; large round bales Tractor, JD 566 baler; large round bales Tractor trailer holds 30 large round bales Tractor trailer holds 30 large round bales   | With twine With net wrap 0-100 miles 0-100 miles |
|         | \$7.50/bale<br>\$8/bale<br>\$3.00/lmi<br>\$55/hr                         | 80 00 II W    | Tractor, JD 566 baler; large round bales Tractor, JD 566 baler; large round bales Tractor trailer holds 30 large round bales Tractor trailer holds 30 large round bales  | With net wrap 0-100 miles 0-100 miles            |
|         | \$8/bale<br>\$3.00/lmi<br>\$55/hr<br>\$11/ac                             | @ II W        | Tractor, JD 566 baler; large round bales Tractor trailer holds 30 large round bales Tractor trailer holds 30 large round bales   | With net wrap 0-100 miles 0-100 miles            |
|         | \$3.00/lmi<br>\$55/hr<br>\$11/ac   | II W          | Tractor trailer holds 30 large round bales<br>Tractor trailer holds 30 large round bales   | 0-100 miles<br>0-100 miles                       |
| 0 0 0 0 | \$55/hr<br>\$11/ac   | H WC          | Tractor trailer holds 30 large round bales   | 0-100 miles                                      |
| 0 0 0   | \$11/ac  | MC            |  |  |
| 2 2     |  |               | SP JD mower/canditioner  |  |
| 2 6     | \$12.50/ac   | MC            | Tractor, JD 945 discbine with 14' header   |  |
|         | \$12/ac  | MC            | Tractor, NH 1431 discbine with 13' header or NH 499 haybine with 12' header  |  |
| 9 2     | \$3/00   | Raking        | Tractor, hay rakes   |  |
| 9 2     | \$2/bale   | HS            | SP bale retriever truck holds 17 large round bales   | On field stacking or hauling up to 2 miles       |
| 2       | \$2.50/bale  | HS            | SP bale retriever truck holds 17 large round bales   | Hauling 2-4 miles                                |
| 2       | \$2.75/bale  | HS.           | SP bale retriever truck holds 17 large round bales   | Hauling 4-6 miles                                |
| 20      | \$3.00/bale  | SH            | SP bale retriever truck holds 17 large round bales   | Hauling 6-8 miles                                |
| 0       | \$3.25/bale  | N.            | SP bale retriever truck holds 17 large round bales   | Hauling 8-10 miles                               |
| 9       | \$1.60/bale  | SH            | Tandem self loading/unloading deck holds 14 large round bales  | On field stacking                                |
| 9       | \$2.15/bale  | SH            | Tandem self loading/unloading deck holds 14 large round bales  | Mauling up to 3 miles                            |
| 9       | \$2.55/bale  | SH            | Tandem self loading/unloading deck holds 14 large round bales  | Hauling 4-5 miles                                |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling

| a  | 三 |   |
|----|---|---|
| A  |   |   |
| Ų  |   |   |
| Į. | 9 | 7 |

|                       | Hauling 6-7 miles   | Hauling 8-10 miles  | 0 miles   | 30 miles  |                                    |                                    |  |  |  | so  | nles  | ales   |  |   |   |  |  |                                    |                                     |
|-----------------------|---|---|---|---|------------------------------------|------------------------------------|--|--|--|---|---|--|--|---|---|--|--|------------------------------------|-------------------------------------|
| (NSG)                 | Hauling   | Hauling   | Hauling 20 miles  | Hauling 30 miles  |                                    |                                    |  |  |  | Hay bales   | Straw bales   | Straw bales  |  |   |   |  |  |                                    |                                     |
| enipaten.             | Tandem seif loading/unloading deck holds 14 large round bales | Tandem self loading/unloading deck holds 14 large round bales | Tandem self loading/unloading deck holds 14 large round bales | Tandem self loading/unloading deck holds 14 large round bales | Tractor, JD 348 baler; 14X18 bales | Tractor, JD 575 baler; 14X18 bales | Tractor, JD 530 baler; large round bales | Tractor, JD 535 baler: large round bales | Tractor, JD 535 baler; large round bales | Tractor, Vermeer 605H baler; large round bales (6.5' 22001b<br>bales) | Tractor, Vermeer 605H baier; large round bales (6.5' 1000-1200lb bales) | Tractor, Hesston 4900 baler: large square bales 4'X4'X8' | SP Case-IH 8830 diesel swather with 12' hay header | SP Case-IH 5000 windrower with 12.5° or 14.5° headers | SP Case-IH 8820 swather with 14' conditioner header | SP NH 1118 mower/conditioner with 14" header | Tractor, Hesstan 1160 discbine with 12' header | SP Hesston haybine with 14' header | Tractor, JD haybine with 14' header |
| 1316-026              | SH  | HS  | SH  | SH  | 60                                 | 60                                 | 63                                       | 60                                       | 60                                       | co.   | œ   | 89   | MC   | W   | MC  | MC   | MC   | MC                                 | MC                                  |
| ्राज्याका<br>संस्थाति | \$2.95/bale   | \$3.55/bale   | \$4.00/Imi  | \$3.75/lmi  | \$0.40/bale                        | \$0.40/bale                        | \$7/bale                                 | \$7/bale                                 | \$7/bale                                 | \$7.50/bale   | \$9/bale  | \$12/bale  | \$10/00  | \$12/00   | \$12/00   | \$12/00                                      | \$12 50/ac                                     | \$15/ac                            | 415/00                              |
| 金融                    | 9   | 9   | 9   | 9   | 17                                 | 17                                 | 17                                       | 17                                       | 17                                       | 17  | 17  | 17   | 17   | 17  | 17  | 17   | 17   | 17                                 | 9.0                                 |
|                       | 2   | 2   | 2   | 2   | 2                                  | 2                                  | ~  | 2  | 2  | 2   | 2   | 2  | 2  | 2   | 2   | 63   | 2  | 2                                  | 0                                   |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling



|                                |                                      | bales Hauling up to 1 mile: plus \$0.03/bale/mi ove | bales On field stacking                     | ids 38-40 large round On field stacking; plus \$2/1mi off field     |  | 0-5 miles                                 | 91-100 miles                              | OVER 100 miles                            |                                    | Straw bales                              | Net wrapping straw bales                 | bales Straw bales                             | s Hay bales                              | bales 1st cut hay bales                       |  | Net wrapping hay bales                   | bales 2nd cut hay bales                       |  | 530 baler; large round  |
|--------------------------------|--------------------------------------|---|---|---|--|---|---|---|------------------------------------|--|--|---|--|---|--|--|---|--|---|
| 4wd 100np tractor, NH tip rake | 4wd 100hp tractor, Viscount hay rake | SP NH 1069 bale wagon holds 160 14X18 bales         | SP NH 1069 bale wagon holds 160 14X18 bales | Tractor with front end laader; hi-boy holds 38-40 large round bales | Tractor, NH 892 baler; large round bales | Hi-boy trailer holds 30 large round bales | Hi-boy trailer holds 30 large round bales | Hi-boy trailer holds 30 large round bales | Tractor, JD 348 baler; 14X18 bales | Tractor, JD 535 baler; large round bales | Tractor, JD 566 baler; large round bales | Tractor, Hesston 560 baler; large round bales | Tractor, JD 535 baler; large round bales | Tractor, Hesston 560 baler; large round bales | Tractor, JD 535 baler; large round bales | Tractor, JD 566 baler; large round bales | Tractor, Hesston 560 baler; large round bales | Tractor, JD 530 baler; large round bales | Tractor with hay rakes, tractor with JD 530 baler; large round<br>bales |
| Raking                         | Raking                               | SH  | SH  | SH  | œ  | I   | I   | I   | 8                                  | 8  | æ  | œ   | 8  | Ø   | 00                                       | 00                                       | œ   | œ  | B, Raking   |
| \$4/00                         | \$4/00                               | \$0.35-0.40/bale                                    | \$0.38-0.40/bale                            | \$2.50/bale   | \$8/bale                                 | \$5/bale                                  | \$10/bale                                 | \$2.75/lmi                                | \$0.40/bale                        | \$5/bale                                 | \$6/bale                                 | \$6/bale                                      | \$6/bale                                 | \$7/bale                                      | \$7/bale                                 | \$7/bale                                 | \$7-8/bale                                    | \$7-8/bale                               | \$8-9/bale  |
| 11                             | 17                                   | 17  | 17  | 17  | 18                                       | 18  | 18  | 18  | 23                                 | 23                                       | 23                                       | 23  | 23                                       | 23  | 23                                       | 23                                       | 23  | 23                                       | 23  |
| ~                              | ~                                    | 2   | 2   | 2   | ~  | 2   | 2   | 2   | n                                  | 2  | . 2                                      | 2   |  | 2   | 64                                       | 2  | 2   | 23                                       | ~   |

SP-seif-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel



| - houring   | Action of the contract of the |    |              |    |       |
|---|---|----|--------------|----|-------|
| 0-60 miles  | Hi-boy trailer holds 32 large round bales   | I  | \$3.00/1mi   | 61 | en en |
|   | Tractor, JD 566 baler: large round bales  | 00 | \$6.50/bale  | 61 | m     |
|   | Tractor, JD 535 baler: large round bales  | 8  | \$6/bale     | 61 | m     |
| over 100 miles  | Hi-boy trailer holds 36 large round bales   | ı  | \$300/load + | 6  | 8     |
| 73-100 miles<br>Over 100 miles; plus \$2.75/lmi for miles | Hi-boy frailer holds 36 large round bales   | I  | \$3.00/lmi   | 6  | 6     |
| 37-72 miles,  | Hi-bay trailer holds 36 large round bales   | I  | \$3.25/bale  | 6  | 6     |
| 0-36 miles  | Hi-bay trailer holds 36 large round bales   | I  | \$3/bale     | 6  | m     |
| 0-36 miles  | Hi-boy trailer holds 36 large round bales   | I  | \$60/hr      | 6  | 6     |
| Hay or greenfeed bales                                    | Tractor, NH 851 baler: large round bales  | 8  | \$6.50/bale  | 6  | 3     |
| Straw bales   | Tractor, NH 851 baler; large round bales  | 00 | \$5/bale     | 0  | en    |
| On field stacking   | SP NH 1069 bale wagon holds 160 14X18 bales   | SH | \$0.40/bale  | 23 | 2     |
| Hauling up to 10 miles                                    | SP bale retriever truck picks up stack of 160 14X18 bales and hauls   | HS | \$55/hr      | 23 | 2     |
|   | Tractor, Hesston 1370 discbine with 12' header  | MC | \$10/00      | 23 | 2     |
|   | Tractor, JD discbine with 14' header  | MC | \$8/90       | 23 | ~     |
| 30-60 miles; loading time included                        | Tandem freightliner 30' deck with 30' frailer holds 1065 14X16<br>bales   | I  | \$20-22/ton  | 23 | 2     |
| 0-30 miles; minimum rate; loading time includ             | Tandem freightliner 30' deck with 30' trailer holds 1065 14X18 bales  | I  | \$16-18/ton  | 23 | 2     |
| Hauling over 40 miles                                     | Semi-trailer holds 30 large round bales   | I  | \$3.00/1mi   | 23 | 2     |
| Hauling 0-40 miles  | Semi-trailer holds 30 large round bales   | I  | \$155/load   | 23 | 2     |
|   |   |    |              |    |       |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning 8-baling S - stacking SH-hauling and stacking H-hauling

25



1015

|  |  |  |  |  |  |  | Hauling 2 miles  | On field stacking  | Hauling 3 miles  | Hauling 4 miles   | Hauling 5 miles  | Hauling 10 miles   | Hauling 15 miles   | Hauling 20 miles  | Hauling 25 miles  | Hauling 30 miles   | Hauling 35 miles   | Hauling 40 miles  | © 20 bales/hr; plus fuel and twine   | @15 bales/hr; plus fuel and twine   |
|--|--|--|--|--|--|--|--|--|--|---|--|--|--|---|---|--|--|---|--|---|
| Tractor, JD 535 baler; large round bales | Tractor, JD 535 baler; large round bales | Tractor, JD 535 baler; large round bales | Tractor, Hesston 4910 baler; large square bales 4'X4'X8' | Tractor, Hesston 4910 baler; large square bales 4"X4"X8" | Self loading/unloading tandem trailer holds 17 large round bales | Self loading/unloading tandem trailer holds 17 large round bales | Self loading/unloading tandem trailer holds 17 large round bales             | Tractor, Inland stacker holds 8 large square bales 4'X4'X8'                              | Self loading/unloading tandem trailer holds 17 large round bales                             | Self loading/unloading tandem trailer holds 17 large round bales                            | Self loading/unloading tandem trailer holds 17 large round bales   | Self loading/unloading tandem trailer holds 17 large round bales   | Self loading/unloading tandem trailer holds 17 large round bales   | Self loading/unloading tandem trailer holds 17 large round bales  | Self loading/unloading tandem trailer holds 17 large round bales  | Self loading/unloading tandem trailer holds 17 large round bales   | Seif loading/unloading tandem trailer holds 17 large round bales   | Self loading/unloading tandem trailer holds 17 large round bales  | Tractor, JD 535 baler; large round bales (12001b)  | Tractor, JD 535 baler; large round bales (1200lb)   |
| œ  | œ  | æ  | 100  | æ  | HS.  | HS   | HS   | 75   | HS.  | HS  | HS.  | SE   | HS.  | SH  | HS  | HS.  | HS.  | HS  | co   | 80  |
| \$7/bale                                 | \$5/bale                                 | \$6/bale                                 | \$10/bale  | \$12/bale  | \$1.75/bale  | \$1.95/bale  | \$2.15/bale  | \$2.25/bale  | \$2.35/bale  | \$2.55/bale   | \$2.75/bale  | \$3.55/bale  | \$4.30/bale  | \$4.80/bale   | \$5.15/bale   | \$5.55/bale  | \$5.90/bale  | \$6.30/bale   | \$4/bole   | \$5/bale  |
| 24                                       | 53                                       | 59                                       | 62   | 62   | 82   | 53   | 53   | 53   | 53   | 53  | 53   | 53   | 29   | 53  | 53  | 29   | 29   | 53  | Lac Ste Anne   | 4 Lac Ste Anne  |
| •  | n  | n es                                     | n es es  |  | \$5/bale 8<br>\$6/bale 8<br>\$10/bale 8                          | \$5/bale 8<br>\$6/bale 8<br>\$10/bale 8<br>\$12/bale 8           | \$5/bale 8 \$6/bale 8 \$12/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$1.95/bale SH | \$5/bale 8 \$10/bale 8 \$12/bale 8 \$12/bale 8 \$12/bale 8 \$1.75/bale 5H \$2.15/bale 5H | \$5/bale 8 \$6/bale 8 \$10/bale 8 \$1.75/bale 8 \$1.75/bale SH \$2.15/bale SH \$2.25/bale SH | \$5/bale 8 \$10/bale 8 \$12/bale 8 \$12/bale 8 \$2.25/bale SH \$2.25/bale SH \$2.35/bale SH | \$5/bale 8 \$10/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$2.25/bale 5H \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H | \$5/bale 8 \$10/bale 8 \$1.2/bale 8 \$1.2/bale 8 \$2.25/bale 5H \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.55/bale 5H | \$5/bale 8 \$10/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$2.25/bale \$H \$2.35/bale | \$5/bale 8 \$10/bale 8 \$110/bale 8 \$1.2/bale 8 \$1.25/bale 5H \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.55/bale 5H \$2.55/bale 5H \$2.55/bale 5H \$2.55/bale 5H \$2.55/bale 5H \$2.55/bale 5H | \$5/bale 8 \$10/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$1.25/bale 8 \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$3.35/bale 5H \$3.35/bale 5H \$3.430/bale 5H \$3.430/bale 5H \$3.430/bale 5H | \$5/bale 8 \$10/bale 8 \$1.2/bale 8 \$1.2/bale 8 \$1.2/bale 8H \$2.25/bale 5H \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$3.55/bale 5H | \$5/bale 8 \$10/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$1.75/bale 8 \$2.25/bale 8 \$2.25/bale 8 \$2.35/bale 5 \$1.95/bale | \$5/bale 8 \$10/bale 8 \$1.2/bale 8 \$1.2/bale 8 \$1.2/bale 8 \$2.25/bale 5H \$2.25/bale 5H \$2.25/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$2.35/bale 5H \$3.55/bale 5H \$3.55/bale 5H \$5.35/bale 5H | \$5/bale 8 \$10/bale 8 \$1.0/bale 8 \$1.2/bale 8H \$1.25/bale 8H \$2.25/bale SH \$2.35/bale SH \$2.35/bale SH \$2.55/bale SH \$2.55/bale SH \$4.30/bale SH \$5.55/bale SH \$4.30/bale SH \$5.50/bale SH \$5.50/bale SH \$5.50/bale SH \$5.50/bale SH | \$5/bale 8 \$10/bale 8 \$1.0/bale 8 \$1.2/bale 8 \$1.25/bale 8H \$2.25/bale SH \$2.35/bale SH \$2.35/bale SH \$2.35/bale SH \$2.55/bale SH \$2.55/bale SH \$2.55/bale SH \$4.30/bale SH \$5.55/bale SH \$4.30/bale SH \$5.55/bale SH |

M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - leaded mile mi - mile bu - bushel

SP-self-propelled PT-pull type JD-John Deere NiH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers



| Heavier crop; v-raked first                            | Tractor, JD 566 baler; large round bales                                | œ   | \$6/bale    | MD92           | 4 |
|--|---|-----|-------------|----------------|---|
|  | Tractor, JD 535 baler; large round bales (5' diameter)                  | 00  | \$5.50/bale | MD92           | 4 |
|  | Tractor, JD 348 baler; 14X18 bales                                      | 00  | \$0.35/bale | MD92           | 4 |
|  | NH 18' hay header on bi-directional tractor                             | v   | \$10.50/ac  | WD90           | 4 |
| Hay bales  | Tractor, NH 664 baler; large round bales (6')                           | 00  | \$7/bale    | WD90           | 4 |
| Straw bales  | Tractor, NH 664 baler; large round bales (6')                           | œ   | \$6.50/bale | WD90           | 4 |
| Hauling up to 1 mile                                   | Tractor with front end loader and bale wagon holds 18 large round bales | HS. | \$2/bale    | MD77           | 4 |
| On field stacking: plus \$0.20/bale/mi; 3-4 mi average | SP self loading/unloading bale retriever holds 10 large round bales     | SH  | \$1.50/bale | MD77           | 4 |
|  | SP NH mower/conditioner with 15' header                                 | MC  | \$10/ac     | MD77           | 4 |
|  | Tractor, Case-IH 8465 baler; large round bales (1800lh)                 | 65  | \$8/bale    | MD77           | 4 |
| 91-95 miles  | B-train holds 36 large round bales                                      | I   | \$9/bale    | 4 Lac Ste Anne | 4 |
| 81-85 miles  | B-train holds 36 large round bales                                      | I   | \$8.50/bale | Lac Ste Anne   | 4 |
| 71-75 miles  | B-train holds 36 large round bales                                      | I   | \$8/bale    | Lac Ste Anne   | 4 |
| 61-65 miles  | B-train holds 36 large round bales                                      | I   | \$7.50/bale | 4 Lac Ste Anne | 4 |
| 51-55 miles  | B-train holds 36 large round bales                                      | I   | \$7/bale    | Lac Ste Anne   | 4 |
| 41-45 miles  | B-train holds 36 large round bales                                      | I   | \$6/bale    | 4 Lac Ste Anne | 4 |
| 31-35 miles  | B-train holds 36 large round bales                                      | I   | \$5.50/bale | Lac Ste Anne   | 4 |
| 21-25 miles  | B-train holds 36 large round bales                                      | I   | \$5/bale    | Lac Ste Anne   | 4 |
| 11-15 miles  | B-train holds 36 large round bales                                      | I   | \$4.50/bale | 4 Lac Ste Anne | 4 |
| 0-5 miles  | B-train holds 36 large round bales                                      | I   | \$4/bale    | Lac Ste Anne   | 4 |

SP-seif-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel



| Heavier crop: v-raked first Lighter crop: not v-raked first O-10 miles 51-60 miles 91-110 miles O-10 miles 0-10 miles 11-15 miles 16-35 miles Twine | Tractor, JD 556 baler; large round bales with hay preservative application  Tractor, JD 566 baler; large round bales with hay preservative application  Tractor, JD 566 baler; large round bales  Tractor, JD 566 baler; large round bales  Hi-boy trailer holds 34 large round bales  Tandem truck holds 20 large round bales  Tandem truck holds 20 large round bales  Tandem truck holds 20 large round bales  Tractor, Case-IH 8312 discbine with 12' header  Tractor, Case-IH 8312 discbine with 12' header  Tractor, Case-IH 8312 discbine with 12' header  Tractor, Nese-IH 8312 discbine bales  Tractor, Nese-IH 8312 discbine bales  Tractor, Nese-IH 8312 discbine bales |     | \$6.50/bale<br>\$7/bale<br>\$7/bale<br>\$3.00/bale<br>\$4.50/bale<br>\$9.00/bale<br>\$9.00/bale<br>\$2.75/lmi<br>\$0.30/bale<br>\$4.50/bale<br>\$4.50/bale<br>\$5.00-5.50/bale<br>\$5.00-5.50/bale<br>\$5.00-5.50/bale |
|---|---|-----|--|
| Net wrap  | Tractor, NH 664 baler; large round bales  | 60  | \$7/bale   |
| Twine   | Tractor, NH 664 baler; large round bales  | 60  | \$6/bale   |
|   | bales each  |     |  |
| 0-10 miles  | Front end loader with 2 - 30' trailers hold 24 large round silage hales each  | I   | \$75/hr  |
|   | Tractor, Case-IH 8312 discbine with 12' header  | MC  | \$9-10/90  |
|   | Tractor, Case-IH 8312 discbine with 12' header  | WC  | \$60/hr  |
| Co-DI   | Tandem truck holds 20 large round bales   | I   | \$5.00-5.50/bale   |
| LI-13 miles   | Tandem truck holds 20 large round bales   | I   | \$4.50/bale  |
| 0-10 miles, minimum rate  | Tandem truck holds 20 large round bales   | I   | \$4/bale   |
| 0-10 miles  | Tandem truck holds 500 14X18 bales  | I   | \$0.30/bale  |
| OVER 110 miles  | Hi-bay trailer holds 34 large round bales   | I   | \$2.75/lmi   |
| 91-110 miles  | Hi-boy trailer holds 34 large round bales   | ı   | \$9.00/bale  |
| 51-60 miles   | Hi-bay trailer holds 34 large round bales   | I   | \$6.00/bale  |
| 21-30 miles   | Hi-bay trailer holds 34 large round bales   | ı   | \$4.50/bale  |
| 0-10 miles  | Hi-boy trailer holds 34 large round bales   | I   | \$3.00/bale  |
| Lighter crop; not v-raked firs  | Tractor, JD 566 baler; large round bales with hay preservative application  | æ   | \$8/bale   |
| Lighter crop; not v-raked tirs  | Tractor, JD 566 baler: large round bales  | œ   | \$7/bale   |
| Heavier crop; v-raked first   | Tractor, JD 566 baler; large round bales with hay preservative application  | œ   | \$7/bale   |
|   | Indetor, JU 333 bales, im ge took a   | nô. | \$6.50/bale  |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling



| Li handing            | A standard Laboration   |      |                  |            |   |
|-----------------------|---|------|------------------|------------|---|
|                       | Hi-bay trailer holds 30-34 large round bales  | I    | \$4.50/bale      | 11         | 4 |
| 31-40 miles           | Hi-bay trailer holds 30-34 large round bales  | I    | \$4.00-4.25/bale | 11         | 4 |
| 21-30 miles           | Hi-boy trailer holds 30-34 large round bakes  | I    | \$3.50-3.75/bale | 11         | 4 |
| 0-10 miles            | Hi-boy trailer holds 30-34 large round bales  | I    | \$3,00/bale      | п          | 4 |
|                       | Tractor, NH 595 baler: large square bales 4 X4 X8   | 89   | \$8/bale         | 11         | 4 |
| \$1/11/length of bole | Tractor, NH 595 baler; large square bales 4'X4'X7'  | æ    | \$7/bale         | ==         | 4 |
| \$1/64/leanth of hole | Tractor, NH 595 baler; large square bales 4 X4 X6   | œ    | \$6/bale         | 11         | 4 |
| 41/64 landeh of hale  | Tractor, JD 535 baler; large round bales  | 8    | \$6/bale         | 11         | 4 |
|                       | Tractor, NH 660 baler; large round bales  | 00   | \$5/bale         | 11         | 4 |
|                       | Tractor, NH 640 silage baler: medium round bales: 2.5' diameter.<br>14001b © 50% moisture | œ    | \$5/bale         | =          | 4 |
| Over 90 miles         | Semi-trailer holds 40 large round bales   | I    | \$3.25/lmi       | 10         | 4 |
| 0-80 miles            | Semi-trailer holds 40 large round bales   | I    | \$75/hr          | 01         | 4 |
|                       | SP Case-IH 8830 swather with 21' header   | ×    | \$10/ac          | 10         | * |
| Hay or straw bales    | Tractor, JD 535 baler: large round bales  | 60   | \$5-6/bale       | 10         |   |
|                       | Tractor, Tube-line bale wrapper   | WRAP | \$3/bale         | Strathcona |   |
|                       | SP MacDon swather with 12' hay header   | MC   | \$70/hr          | Parkland   | - |
|                       | Tractor, Hesstan discbine with 12' header   | MC   | \$65/hr          | Parkland   | 4 |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling



|   |   |             |      |  | 1690   |
|---|---|-------------|------|--|--|
| * | 11                                      | \$1.25/bale | I    | Self-loading/unloading body job holds 12 larae round hales           | Confection of the Confection o |
| + | =                                       | \$1.50/bale | I    | Self-loading/unloading body job holds 12 large naund hales           | di agranda   |
| * | 11                                      | \$1.75/bale | I    | Self-loading/unloading hody to holde 12 leases                       | I WISE NOU!  |
| * | ======================================= | \$50-60/hr  | I    | Self-leading/unloading body job holds 12 large round bales           | 0-30 miles: minimum rate   |
| + | п                                       | \$45/hr     | WC   | SP Case-IH 4000 swather with 12' hay header                          |  |
| * | =                                       | \$1.50/bale | HS.  | Tandem truck and trailer hold 17 large round bales                   | On field stacking; plus \$0.25/bale/mi up to 7-8 miles; 8-30 miles plus \$0.125/bale/mi  |
| + | =                                       | \$2.50/bale | Wrap | Rental of Tube-Line 500A auto bale wrapper (\$0.50/f1/width of bale) | 5' wide bale - rental is \$2.50/bale   |
| + | 12                                      | \$6.50/bale | 60   | Tractor, JD 535 baler: large round bales                             | If raked first   |
| * | 12                                      | \$7/bale    | 00   | Tractor, JD 535 baler: large round bales                             | If unraked   |
| + | 12                                      | \$3.50/lmi  | I    | Super B-Train holds 48-50 large round bales                          | Under 200 miles  |
| * | 12                                      | \$3.00/lmi  | I    | Super 8-Train holds 48-50 large round bales                          | Over 200 miles   |
| + | 12                                      | \$9/90      | MC   | Tractor, JD haybine with 12" header                                  |  |
| + | 12                                      | \$10/00     | MC   | Tractor, NH 499 discbine with 12' header                             |  |
| * | 21                                      | \$1.65/bale | HS.  | SP bale wagon holds 14 large round bales                             | On field stacking  |
| 4 | 25                                      | \$75/hr     | ı    | 8-Train holds 42 large round bales                                   | O-100 miles  |
| 4 | 52                                      | \$3.50/lmi  | I    | 8-Train holds 42 large round bales                                   | Over 100 miles   |
|   |   |             |      |  |  |

SP-seif-propelled PT-puil type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac - acre hr - hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling

| soft.  | \$10/ac MC SP Case 8840 swather with 16: hay header \$5/bale B Tractor, JD 535 baler; large round bales \$7/bale B Tractor, Claas 65 baler; medium round soft core bales ('4X5' soft care) \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales   |     |       |   |          | STATE TO STATE OF CRAIL LOIN 1999                                       |                                |   |
|--|--|-----|-------|---|----------|---|--------------------------------|---|
| \$10/ac MC SP Case 8840 swather with 16: hay header \$5/bale B Tractor, JD 535 baler: large round bales \$7/bale B Tractor, JD 566 baler: large round bales Tractor, Claas 65 baler: medium round soft core bales ('4X5' soft core) \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 30-34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales | \$10/ac MC SP Case 8840 swather with 16: hay header \$5/bale B Tractor, JD 535 baler: large round bales \$7/bale B Tractor, JD 535 baler: large round bales Tractor, Claas 65 baler: medium round soft core bales ('4X5' soft core) \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 55 hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales |     |       | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |          |   | 19/19/                         | D |
| \$5/bale B Tractor, JD 535 baler: large round bales \$7/bale B Tractor, JD 566 baler: large round bales  \$7/bale B Tractor, Class 65 baler: medium round soft core bales ('4X5' soft core)  \$7-8/ac MC PT Versatile 400 swather with hay crimper  \$70/hr H Tandem hi-boy trailer holds 34 large round bales  \$6/bale H 45' hi-boy trailer holds 30-34 large round bales  \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | \$5/bale B Tractor, JD 535 baler: large round bales \$7/bale B Tractor, JD 566 baler: large round bales Tractor, Class 65 baler: medium round soft core bales ('4X5' soft core) \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | +   | 52    | \$10/0                                  |          | SP Case 8840 swather with 16: hay header                                |                                |   |
| \$7/bale B Tractor, JD 566 baler; large round bales  \$5.50-6.00/bale B Tractor, Class 65 baler; medium round soft core bales ('4X5' soft core)  \$7-8/ac MC PT Versatile 400 swather with hay crimper  \$70/hr H Tandem hi-boy trailer holds 34 large round bales  \$3.00/lmi H 45' hi-boy trailer holds 30-34 large round bales  \$6/bale H 45' hi-boy trailer holds 30-34 large round bales  \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales   | \$7/bale B Tractor, JD 566 baler; large round bales  \$7.50-6.00/bale B Tractor, Class 65 baler; medium round soft core bales ('4X5' soft core)  \$7-8/ac MC PT Versatile 400 swather with hay crimper  \$70/hr H Tandem hi-boy trailer holds 34 large round bales  \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales  \$6/bale H 45' hi-boy trailer holds 30-34 large round bales  \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales   | 2   | MD124 | \$5/bak                                 |          | Tractor, JD 535 baler; large round bales                                | Hay bales - 1400 lb bales      |   |
| \$5.50-6.00/bale Bractor, Claas 65 baler; medium round soft core bales ('4X5' soft core)  \$7-8/ac   | \$5.50-6.00/bale Bractor, Claas 65 baler; medium round soft core bales ('4X5' soft core)  \$7-8/ac   | 50  | MD124 | \$7/bak                                 |          | Tractor, JD 566 baler; large round bales                                | Hay bales - 1800 lb bales      |   |
| \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | \$7-8/ac MC PT Versatile 400 swather with hay crimper \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | NO. | MD133 | \$5.50-6.00/balk                        | <b>a</b> | Tractor, Class 65 baler; medium round soft core bales ('4X5' soft core) |                                |   |
| \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | \$70/hr H Tandem hi-boy trailer holds 34 large round bales \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | 10  | MD133 | \$7-8/00                                |          | PT Versatile 400 swather with hay crimper                               |                                |   |
| \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales   | \$3.00/lmi H Tandem hi-boy trailer holds 34 large round bales \$6/bale H 45' hi-boy trailer holds 30-34 large round bales \$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales   | ın  | MD135 | \$70/hr                                 |          | Tandem hi-boy trailer holds 34 large round bales                        | 0-75 miles                     |   |
| \$6/bale H 45' hi-boy trailer holds 30-34 large round bales<br>\$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | \$6/bale H 45' hi-boy trailer holds 30-34 large round bales<br>\$65/hr H 5axle low bed truck and trailer hold 28-36 large round bales  | 20  | MD135 | \$3.00/lm                               |          | Tandem hi-boy trailer holds 34 large round bales                        | Over 75 miles                  |   |
| H Saxle low bed truck and trailer hold 28-36 large round bales   | H Saxle low bed truck and trailer hold 28-36 large round bales   | SC. | MD136 | \$6/bale                                |          | 45' hi-boy trailer holds 30-34 large round bales                        | 0-50 miles                     |   |
|  |  | S)  |       | \$65/hr                                 |          | Saxle low bed truck and trailer hold 28-36 large round bales            | 0-30 miles; \$165/load minimum |   |

SP-self-propelled PT-pull type JD-John Deere NH-New Holland MF-Massey Ferguson IH-International Vers - Versatile AC - Allis Chalmers LR-large round bale MR-medium round bale SR-small round bale ac . acre hr . hour Imi - loaded mile mi - mile bu - bushel M-mowing MC-mowing/conditioning B-baling S - stacking SH-hauling and stacking H-hauling